



No-Hub

Small Diameter: 2", 3" & 4"

List Price Schedule HP-NH-SD-1220
Effective December 14, 2020
(Updated April 20, 2021)

Possession of this price list shall not be construed as an offer to sell the products listed.
Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.
©2020-2021 Charlotte Pipe and Foundry Company



>> Edge HP Iron™ No-Hub (Hubless) Small Diameter Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.

ASTM A 888 & CISPI 301

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
------	------------------	--------	--------------------	------	------------------	--------	--------------------

**Part No. HP NH 2
Edge HP No-Hub Pipe**



2"x10'	16074	35.0	\$129.90
3"x10'	16075	54.1	179.70
4"x10'	16076	76.0	233.30



**Part No. HP NH 4
Edge HP Quarter Bend**

2	15410	2.9	\$19.10
3	15411	3.5	26.80
4	15412	6.0	39.60
4x3 <small>Reducing Increasing</small>	15592	5.5	80.40 N



**Part No. HP NH 4
Edge HP Long Quarter Bend**

2x12	15582	5.4	\$53.90 N
2x18	15583	8.8	82.90 N
2x24	15584	10.7	109.10
3x12	15585	7.6	91.60 N
4x12	15586	11.2	135.70 N



**Part No. HP NH 6
Edge HP Quarter Bend with 2"
Side Inlet**

3	15587	5.1	\$54.10 N
4	15588	7.5	88.60 N



**Part No. HP NH 8
Edge HP Quarter Bend with
2" Heel Inlet**

3	15415	5.6	\$42.40
4	15416	7.2	53.90



**Part No. HP NH 8 A
Edge HP Double Quarter Bend**

2	15417	4.5	\$43.30
3	15589	7.1	69.50 N
4	15590	9.7	91.50 N



**Part No. HP NH 8 B
Edge HP Quarter Bend with
Extended Low Heel Inlet**

3x2	15601	7.8	\$75.10 N
-----	-------	-----	------------------

N = Non-stock item; Contact customer service for availability.

See page 5 for pipe bundle quantities.











Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Charlotte Pipe and Foundry Company strongly recommends that its cast iron pipe and fittings be joined with shielded hubless couplings manufactured in accordance with CISPI 310 or ASTM C 1540. Failures in installations using couplings not recommended by Charlotte Pipe® are not the responsibility of this Company.

You can't beat the system.®

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
 Part No. HP NH 9 Edge HP Fifth Bend				 Part No. HP NH 20 Edge HP Wye			
2	15602	2.3	\$31.20 N	2	15436	3.3	\$24.50
3	15603	3.7	44.10 N	3x2	15437	3.4	26.40
4	15604	5.7	69.20 N	3	15438	4.6	35.70
 Part No. HP NH 10 Edge HP Sixth Bend				 Part No. HP NH 21 Edge HP Double Wye			
2	15418	2.2	\$20.20	2	15618	4.5	\$38.80 N
3	15605	3.2	26.10 N	3x2	15619	5.5	60.40 N
4	15606	5.3	34.90 N	3	15620	7.9	71.60 N
 Part No. HP NH 12 Edge HP Eighth Bend				 Part No. HP NH 21 A Edge HP Upright Wye			
2	15419	1.6	\$16.60	2	15447	4.8	\$42.90
3	15420	2.9	22.20	3x2	15448	5.7	42.00
4	15421	3.9	29.00	3	15449	9.5	58.70
2x12 Long	15607	4.6	51.60 N	4x2	15450	7.7	59.00
2x18 Long	15608	7.3	76.90 N	4x3	15629	10.1	78.50 N
3x12 Long	15609	7.4	81.60 N	4	15630	12.9	155.30 N
3x18 Long	15610	10.2	128.90 N	 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
4x12 Long	15611	9.7	128.10 N	2	15451	3.5	\$27.90
 Part No. HP NH 14 Edge HP Sixteenth Bend				 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
2	15424	1.4	\$16.90	3x2	15452	5.7	34.90
3	15425	2.1	19.70	3	15453	8.5	44.00
4	15426	3.4	26.00	4x2	15454	6.6	45.50
 Part No. HP NH 16 Edge HP Short Sweep				 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
2	15428	3.1	\$26.70	4x3	15455	9.5	64.70
3	15429	6.3	34.90	4	15456	13.7	84.80
4	15430	8.1	61.90	 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
 Part No. HP NH 18 Edge HP Long Sweep				 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
2	15433	5.8	\$41.90	 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
3	15434	9.4	50.60	 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
4	15435	12.3	80.50	 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			
4x3 Reducing Increasing	15614	12.4	161.60 N	 Part No. HP NH 22 Edge HP Combination Wye and Eighth Bend			






N = Non-stock item; Contact customer service for availability.

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
	Part No. HP NH 24 Edge HP Double Combination				Part No. HP NH 30 Edge HP Sanitary Cross		
2	15631	6.6	\$66.40 N	2	15471	5.0	\$45.00
3x2	15632	7.7	87.00 N	3x2	15472	6.2	62.00
3	15633	11.8	102.30 N	3	15649	7.6	69.40 N
4x2	15634	8.3	126.90 N	4x2	15650	7.3	88.50 N
4x3	15635	13.7	133.10 N	4x3	15651	8.5	106.80 N
4	15636	20.5	200.90 N	4	15473	11.0	131.50
	Part No. HP NH 25 Edge HP Figure Five Double Fixture Fitting				Part No. HP NH 31 Edge HP Sanitary Tee (New Orleans Code, with 2" 90° Sanitary Inlet Above Center)		
2	15637	6.0	\$64.10 N	3x3 w/LH	15656	6.7	\$112.10 N
3	15638	12.1	159.50 N	3x3 w/RH	15657	6.3	112.10 N
3x2x3x3 Reducing	15639	10.7	154.50 N	4x4 w/LH	15659	8.7	157.10 N
4	15640	22.5	259.50 N	4x4 w/RH	15658	8.5	157.10 N
4x2x4x4 Reducing	15641	18.5	247.20 N		Part No. HP NH 32 Edge HP Sanitary Tee (with 2" Right and Left Side Inlets)		
	Part No. HP NH 28 Edge HP Sanitary Tee			4x4 w/RH & LH	15660	10.9	\$199.10 N
2	15464	2.8	\$26.40		Part No. HP NH 32 B Edge HP Sanitary Tee (New Orleans Code, with 2" 45° Sanitary Inlet Above Center)		
3x2	15465	4.7	28.90	3 w/2 LH	15661	8.2	\$172.60 N
3	15466	5.8	32.60	3 w/2 RH	15662	7.8	172.60 N
4x2	15467	5.3	41.50	3 w/2 RH & LH	15663	9.1	334.20 N
4x3	15468	7.6	47.50	4 w/2 LH	15665	10.7	263.60 N
4	15469	8.5	61.80	4 w/2 RH	15664	10.4	263.60 N
N = Non-stock item; Contact customer service for availability.					Part No. HP NH 33 A Edge HP Sanitary Cross (New Orleans Code, with 2" 90° Sanitary Inlet Above Center)		
<div data-bbox="142 1459 812 1921" data-label="Complex-Block"> <p>! WARNING</p> <p>Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.</p>  <p>AIR/GAS</p> <ul style="list-style-type: none"> • NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings. • NEVER test Cast Iron pipe or fittings with compressed air or gas. • ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications. </div>				4	15666	10.8	\$199.20 N
					Part No. HP NH 33 C Edge HP Sanitary Cross (New Orleans Code, with 2" 90° Sanitary Inlets Right and Left Above Center)		
				3 w/2RH & LH	15667	9.0	\$183.90 N
				4 w/2 RH & LH	15668	11.9	231.20 N

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
 <p>Part No. HP NH 33 F Edge HP Sanitary Cross (New Orleans Code, with Two 2" 45° Sanitary Inlets Same Side)</p>							
3	15669	9.8	\$243.20 N				
4	15670	13.8	325.10 N				
 <p>Part No. HP NH 33 G Edge HP Sanitary Cross (with 3" Vent and Two 2" 45° Inlets)</p>							
4x3x4x2x2	15671	20.3	\$469.10 N				
 <p>Part No. HP NH 34 Edge HP Sanitary Tapped Tee</p>							
2x1½	15990	3.1	\$28.90 N				
2x2	16144	3.8	\$33.20 N				
3x1½	16145	3.6	39.30 N				
3x2	16146	4.9	46.10 N				
3x3	16147	7.3	85.10 N				
 <p>Part No. HP NH 36 S Edge HP Test Tee with Southern Raised-Head Brass Plug Installed</p>							
	IPS TAP						
2	2	15474	3.3	\$44.50			
3	3	15475	6.3	74.50			
4	4	15476	10.1	126.40			
 <p>Part No. HP NH 40 Edge HP Increaser-Reducer</p>							
2x3	15674	3.3	\$32.90 N				
2x4	15675	4.4	56.40 N				
3x4	15676	5.0	44.20 N				
 <p>Part No. HP NH 40 A Edge HP Short Reducer</p>							
3x2	15477	1.8	\$13.70				
4x2	15478	2.3	20.80				
4x3	15479	2.3	20.80				
				 <p>Part No. HP NH 42 Edge HP P Trap</p>			
				2	15484	4.7	\$27.90
				3	15485	8.9	61.20
				4	15486	17.0	108.30
				2x12 Long	15680	6.1	74.70 N
				2x18 Long	15681	8.0	93.20 N
				 <p>Part No. HP NH 44 A Edge HP Deep Seal P Trap</p>			
				2	15683	7.1	\$65.30 N
				3	15684	11.0	105.20 N
				4	16200	18.6	167.20 N
				 <p>Part No. HP NH 45 Edge HP Running Trap with Vent</p>			
				4	15685	20.5	\$183.30 N
				 <p>Part No. HP NH 45 A Edge HP Running Trap with Double Vent</p>			
				4	15686	21.4	\$231.50 N
				 <p>Part No. HP NH 48 Edge HP Tapped Adapters</p>			
				2x1½	16148	.9	\$22.00 N
				2x2	16149	1.7	22.00 N
				 <p>Part No. HP NH 50 Edge HP Blind Plug</p>			
				2	15488	0.7	\$9.60
				3	15489	1.1	13.90
				4	15490	2.0	22.00

Note: Shading indicates new item.

N = Non-stock item; Contact customer service for availability.

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each																								
 <p>Part No. HP NH 52 S Edge HP Tapped Ferrule with Southern Raised-Head Brass Plug Installed</p>				 <p>Part No. HP NH 54 Edge HP Two-Way Baffle Cleanout</p>																											
<p>IPS TAP</p> <table border="1"> <tr> <td>2</td> <td>1½</td> <td>15492</td> <td>1.1</td> <td>\$38.80</td> </tr> <tr> <td>3</td> <td>2½</td> <td>15493</td> <td>2.3</td> <td>49.50</td> </tr> <tr> <td>4</td> <td>3½</td> <td>15494</td> <td>3.2</td> <td>68.00</td> </tr> </table>				2	1½	15492	1.1	\$38.80	3	2½	15493	2.3	49.50	4	3½	15494	3.2	68.00	<table border="1"> <tr> <td>3x3x4</td> <td>15692</td> <td>14.2</td> <td>\$256.90 N</td> </tr> <tr> <td>4x4x4</td> <td>15693</td> <td>23.5</td> <td>248.80 N</td> </tr> </table>				3x3x4	15692	14.2	\$256.90 N	4x4x4	15693	23.5	248.80 N	
2	1½	15492	1.1	\$38.80																											
3	2½	15493	2.3	49.50																											
4	3½	15494	3.2	68.00																											
3x3x4	15692	14.2	\$256.90 N																												
4x4x4	15693	23.5	248.80 N																												
 <p>Part No. HP NH 53 Edge HP Single Two-Way Cleanout</p>				 <p>Part No. HP NH 56 Edge HP Notched and Slotted Closet Collar</p>																											
<table border="1"> <tr> <td>4</td> <td>15690</td> <td>16.0</td> <td>\$195.40 N</td> </tr> </table>				4	15690	16.0	\$195.40 N	<p>Connects To</p> <table border="1"> <tr> <td>4x3x3½</td> <td>3" Pipe</td> <td>15694</td> <td>3.4</td> <td>\$39.40 N</td> </tr> <tr> <td>4x3x8</td> <td>3" Pipe</td> <td>15695</td> <td>6.1</td> <td>86.40 N</td> </tr> <tr> <td>4x4x4</td> <td>4" Pipe</td> <td>15696</td> <td>4.9</td> <td>46.10 N</td> </tr> <tr> <td>4x4x8</td> <td>4" Pipe</td> <td>15697</td> <td>7.2</td> <td>111.00 N</td> </tr> </table>				4x3x3½	3" Pipe	15694	3.4	\$39.40 N	4x3x8	3" Pipe	15695	6.1	86.40 N	4x4x4	4" Pipe	15696	4.9	46.10 N	4x4x8	4" Pipe	15697	7.2	111.00 N
4	15690	16.0	\$195.40 N																												
4x3x3½	3" Pipe	15694	3.4	\$39.40 N																											
4x3x8	3" Pipe	15695	6.1	86.40 N																											
4x4x4	4" Pipe	15696	4.9	46.10 N																											
4x4x8	4" Pipe	15697	7.2	111.00 N																											
 <p>Part No. HP NH 53 A Edge HP Double Two-Way Cleanout</p>				<p>N = Non-stock item; Contact customer service for availability.</p>																											
<table border="1"> <tr> <td>4</td> <td>15691</td> <td>15.0</td> <td>\$179.00 N</td> </tr> </table>				4	15691	15.0	\$179.00 N																								
4	15691	15.0	\$179.00 N																												

Note: Dimensions and tolerances for No-Hub pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

TEN FOOT PIPE BUNDLES NO-HUB PIPE

Size	Pieces	Weight	Height
2 x 10	54	1906	11"
3 x 10	36	1944	14"
4 x 10	27	2052	17"

Weights are approximate and are for shipping purposes only.
All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP NO-HUB (HUBLESS) PIPE AND FITTINGS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI).

CISPI Standard 301

ASTM A 888

Meets the performance requirements of EN 877

Listed by NSF® International to the UP Code

ISO 9001:2015 Certified

NO-HUB (HUBLESS) COUPLINGS

Cast Iron Soil Pipe Institute Standard No. 310

ASTM C 1277

Certified by NSF® International

NO-HUB (HUBLESS) HEAVY DUTY

COUPLINGS

ASTM C 1540

Factory Mutual 1680

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Terms of Sale

We are pleased to present our list price schedule for use in ordering Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products. To determine current prices, please refer to the prices shown in the list price schedule. You may seek further clarification from our local manufacturers' agent or the factory sales office. **All prices in list price schedules are subject to change without notice. Orders will be billed at the prevailing price at the time of shipment.** All quotations, sales, and agreements are subject to strikes, accidents, transportation failures or other causes beyond our control. Any tax, effective under present or future laws, shall be added as an extra to the price of the product and shall be paid by the purchaser. **Possession of product information or list price schedules shall not be construed as an offer to sell the product listed.**

ARBITRATION: CHARLOTTE PIPE AND CUSTOMER AGREE THAT ANY DISPUTE, CLAIM OR CONTROVERSY OF ANY NATURE, WHETHER BASED ON CONTRACT, TORT, STATUTE, OR ANY OTHER LEGAL OR EQUITABLE THEORY, ARISING OUT OF OR RELATED TO THE SALE OF PRODUCTS FROM CHARLOTTE PIPE TO CUSTOMER SHALL BE RESOLVED THROUGH BINDING ARBITRATION ADMINISTERED PURSUANT TO TITLE 9 OF THE U.S. CODE BY JAMS UNDER ITS COMPREHENSIVE ARBITRATION RULES AND PROCEDURES, AND JUDGMENT ON THE AWARD ENTERED BY THE ARBITRATOR(S) MAY BE ENTERED BY ANY COURT HAVING JURISDICTION THEREOF. EITHER PARTY MAY APPLY TO THE ARBITRATOR SEEKING INJUNCTIVE RELIEF UNTIL THE ARBITRATION AWARD IS ENTERED OR THE MATTER IS RESOLVED. EITHER PARTY ALSO MAY, WITHOUT WAIVING ANY REMEDY AVAILABLE TO IT, SEEK FROM ANY COURT OF COMPETENT JURISDICTION ANY PROVISIONAL OR INTERIM RELIEF THAT IS NECESSARY TO PROTECT ITS RIGHTS PENDING THE ARBITRATOR(S)' DETERMINATION OF THE MERITS OF THE DISPUTE, CLAIM OR CONTROVERSY.

CLASS ACTION WAIVER: CHARLOTTE PIPE AND CUSTOMER AGREE THAT THERE WILL BE NO RIGHT OR AUTHORITY FOR ANY CLAIM, DISPUTE AND/OR CONTROVERSY COVERED UNDER THE PARTIES' AGREEMENT TO ARBITRATE TO BE BROUGHT, HEARD, OR ARBITRATED AS A CLASS ACTION AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. NOR SHALL THE ARBITRATOR(S) HAVE ANY AUTHORITY TO HEAR OR ARBITRATE ANY SUCH CLASS AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. REGARDLESS OF ANYTHING ELSE IN THESE TERMS AND CONDITIONS OR BY VIRTUE OF ANY ARBITRATION RULES OR PROCEDURES OF THE AAA THAT NOW APPLY OR ANY AMENDMENTS AND/OR MODIFICATIONS TO THOSE RULES, THE ENFORCEABILITY AND VALIDITY OF THIS CLASS ACTION WAIVER MAY BE DETERMINED ONLY BY A COURT AND NOT BY AN ARBITRATOR. NOTWITHSTANDING ANY OTHER CLAUSE CONTAINED IN THESE TERMS AND CONDITIONS, THIS CLAUSE ENTITLED CLASS ACTION WAIVER SHALL NOT BE SEVERABLE FROM THESE TERMS AND CONDITIONS IN ANY CASE IN WHICH THE DISPUTE TO BE ARBITRATED IS BROUGHT AS A CLASS AND/OR COLLECTIVE ACTION. THIS CLASS ACTION WAIVER AND THE AGREEMENT TO ARBITRATE ANY CLAIM, DISPUTE OR CONTROVERSY PRECLUDES CUSTOMER FROM LITIGATING IN COURT OR ARBITRATING ANY CLAIMS AGAINST CHARLOTTE PIPE AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY.

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.

- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/20/21

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.


All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

You can't beat the system.®

CHARLOTTE

PIPE AND FOUNDRY COMPANY®

PO BOX 35430
CHARLOTTE
NORTH CAROLINA 28235
PHONE (704) 348-6450
(800) 438-6091
FAX (800) 553-1605
WWW.CHARLOTTEPIPE.COM



All products manufactured by
Charlotte Pipe and Foundry Company
are proudly made in the U.S.A.

