



List Price Schedule HP-SV-LD-921 Effective September 1, 2021 (Updated July 16, 2021) Supersedes Price Schedule HP-SV-LD-1220

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company. ©2020-2021 Charlotte Pipe and Foundry Company

>> Edge HP Iron™ Service Large Diameter Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.



	Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
--	------	------------------	--------	--------------------	------	------------------	--------	--------------------

Part No. HP SV 3	
Edge HP Pipe, 10'	Lengths, Single Hub

& UPC® The Quiet	Pipe® USA CHARLOTT	E PIPE® EDGE F	P IRON USA
6"x10'	16085	122.8	\$538.80
8"x10'	16086	190.0	838.90
10"x10"	16087	276.1	1,396.20
12"x10'	16088	345.9	2,028.30
15"x10'	16089	525.1	2.964.50

8 XIO.	16086	190.0	858.90
10"x10"	16087	276.1	1,396.20
12"x10'	16088	345.9	2,028.30
15"x10'	16089	525.1	2,964.50
	Part No. I Edge HP	HP SV 5 Quarter Bend	

6	15500	21.7	\$151.60
8	15746	39.9	456.70N
10	16011	57.3	667.40N
12	16035	90.9	904.30N
15*			

	Part No. H Edge HP S	IP SV 7 Sixth Bend	
6	15750	16.4	\$189.50N
8	15761	32.5	413.20N

	Part No. H Edge HP E	IP SV 8 Eighth Bend	
6	15504	16.6	\$115.10
8	15505	32.3	344.10
10	16012	44.1	494.80N
12	16036	70.4	938.30N

Part No. HP SV 9 **Edge HP Sixteenth Bend** 15508 13.8 \$100.60 15763 26.0 352.90N 10 16010 37.1 542.20N 16034 12 63.3 1,274.50N




15*

Part No. HP SV 26 Edge HP Long Eighth Bend

6x18	15782	29.3	\$377.40N



\$226.10	26.6	15515	6
490.50N	39.5	15783	8
1,007.20N	75.3	16020	10
2,343.20N	109.3	16044	12



N = Non-stock item; Contact customer service for availability.

* Please see Edge HP Iron Extra Heavy price sheet. See page 5 for pipe bundle quantities.

You can't beat the system.®



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC <i>#</i> 611942- Weight	List Price Each
3126	011742-	weight	Lacii	3126	011742- Weight	Eacii



Part No. HP SV 33 Edge HP Combination Wye and Eighth Bend (Long Turn Pattern)

\$236.50N	19.6	15787	6x2
251.70N	24.7	15788	6x3
264.30	31.7	15527	6x4
366.50	44.2	15528	6
498.70N	34.0	15789	8x2
439.30N	43.2	15790	8x4
603.00N	55.7	15791	8x6
904.30N	85.6	15792	8



Part No. SV 35 F Edge HP Double Combination Wye and Eighth Bend [Long Turn Pattern]

6x4	15800	45.0	\$709.60N
6	15801	69.6	1.084.40N



Part No. HP SV 42 Edge HP Straight Tee

\$279.80N	21.5	15809	6x4
336.00N	22.7	15810	6
616.20N	33.2	15811	8x4



Part No. HP SV 43 Edge HP Sanitary Tee

6x2	15813	15.7	\$203.80N
6x3	15814	21.1	210.90N
6x4	15537	22.8	294.40
6	15815	29.8	260.10N
8x4	15816	35.7	440.60N
8x6	15817	43.0	581.50N
8	15818	54.0	689.00N
10x4	16024	52.0	905.70N
10x6	16028	61.6	994.80N
10x8	16032	68.0	1,179.60N
10	16019	75.9	1,264.00N
12x6	16054	79.0	1,537.80N
12x8	16058	94.6	1,801.30N
12x10	16048	107.0	1,967.00N
12	16043	124.6	2,234.10N
15x6	16068	135.6	3,876.60N
15x8	16071	158.9	3,756.80N
15x12	16064	189.6	4,153.70N

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 44 Edge HP Wye

6x2	15544	19.7	\$202.00N
6x3	15545	23.7	206.20N
6x4	15546	26.7	204.30
6	15547	36.5	302.90
8x2	15819	32.7	454.40N
8x3	15820	36.6	451.70N
8x4	15821	38.3	389.90N
8x6	15822	49.6	484.00N
8	15823	58.4	740.50N
10x3	16022	54.0	678.70N
10x4	16025	55.4	667.40N
10x6	16029	67.6	727.70N
10x8	16033	86.9	998.90N
10	16021	111.1	1,196.60N
12x4	16051	75.3	1,128.20N
12x6	16055	94.2	1,162.60N
12x8	16059	110.0	1,450.60N
12x10	16049	131.0	2,662.60N
12	16046	162.0	3,022.10N
15x4	16066	138.5	3,770.90N
15x6	16069	153.6	3,940.40N
15x8	16072	187.1	4,013.50N
15x10	16062	225.0	4,162.40N
15x12	16065	244.4	4,242.40N
7.5*			



Part No. HP SV 72 Edge HP Double Two-Way Cleanout

6x4x4	15832	39.1	\$513.70N

* Please see Edge HP Extra Heavy price sheet.







Part No. HP SV 79 Edge HP Washington Test Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP		
\$637.00N	26.9	15835	6	6	
1,047.40N	44.5	15836	8	8	



Part No. HP SV 80 Edge HP Cleanout Tee with Southern Raised-Head Brass Plug Installed

			IPS TAP	
\$794.80N	25.3	15839	4	6
2,323.90N	94.5	16045	8	12

Cleanout Tees can be ordered <u>only</u> with Southern Code brass plug installed. <u>We do not offer this fitting less plug, or with any other type brass plug installed.</u>



Part No. HP SV 81 S Edge HP Miami Test Tee with Southern Raised-Head Brass Plug Installed

	IPS Tap			
6	6	15843	25.0	\$785.70N



Part No. HP SV 109 Edge HP Sanitary Cross

\$390.00N	29.0	15852	6x4
477.40N	32.8	15853	6
1.346.30N	57.7	15854	8

N = Non-stock item; Contact customer service for availability.



Part No. HP SV 110 Edge HP Double Wye

6x3	15861	24.6	\$421.80N
6x4	15862	31.8	404.10N
6	15863	47.8	551.10N
8x4	15864	47.6	920.70N
8x6	15865	57.3	946.00N
8	15866	92.4	1,329.00N
10x6	16026	73.7	2,018.30N
10x8	16030	99.0	3,090.10N
10	16014	159.6	3,202.70N
12x6	16052	103.2	3,744.30N
12x8	16056	126.5	3,673.00N
12	16038	216.1	3,665.90N



Part No. HP SV 143 Edge HP Reducer

6x2	15875	8.2	\$111.10N
6x3	15876	9.9	108.70N
6x4	15553	10.4	107.10
8x3	15877	14.3	208.00N
8x4	15878	16.6	178.70N
8x6	15879	16.9	183.30N
10x4	16023	20.0	268.90N
10x6	16027	22.2	301.10N
10x8	16031	26.6	301.50N
12x4	16050	32.3	438.20N
12x6	16053	34.4	469.60N
12x8	16057	37.3	482.70N
12x10	16047	38.4	490.50N
15x6	16067	52.3	916.00N
15x8	16070	50.1	995.60N
15x10	16061	55.7	1,032.00N
15x12	16063	68.7	1,044.10 <mark>N</mark>



Part No. HP SV 144 Edge HP Increaser

6x8	15884	24.0	\$348.50N
8x10	16073	40.3	640.40N



Part No. HP SV 153 Edge HP Double Hub Fitting

\$142.90N	13.3	15887	6
376.30N	24.5	15888	8
791.30N	36.3	16013	10
1,146.50N	46.3	16037	12



*UPC# List Price *UPC# List Size 611942- Weight Each Size 611942- Weight E



Part No. HP SV 155 Edge HP Pipe Plug

6	15889	7.5	\$68.30N
8	15890	12.4	167.20N
10	16017	17.7	236.10N
12	16041	25.9	343.90N



Part No. HP SV 169 Edge HP P Trap

\$440.60N	42.0	15891	6
1,329.10N	86.2	15892	8



Part No. HP SV 170 Edge HP Running Trap

6	15894	45.1	\$1.241.10N



Part No. SV 174 Edge HP Running Trap with Single Hub Vent

			Vent Size	
\$1,294.60N	45.9	15897	4	6
5,988.30N	104.3	15898	4	8
4,625.00N	99.7	15899	6	8



Part No. HP SV 175 Edge HP Running Trap with Double Hub Vent

			Vent Size	
\$1,298.30N	57.3	15902	4	6
1,586.50N	61.5	15903	6	6
5,789.40N	104.3	15904	4	8
5,946.30N	107.4	15905	6	8
6,696.00N	187.0	16018	8	10
9,426.70N	287.6	16042	10	12
20,525.50N	460.0	16060	12	15



Part No. HP SV 180 Deep Seal P Trap

6	15909	40.5	\$550.10



Part No. HP SV 228 S Edge HP Iron Body Cleanout Ferrule with Southern Raised-Head Brass Plu

Edge HP Iron Body Cleanout Ferrule with Southern Raised-Head Brass Plug Installed

			іар	
\$212.30	6.5	15575	5	6
425.90N	13.9	15937	6	8
530.40N	18.5	16015	6	10
636.30N	27.7	16039	6	12



Part No. HP SV 253 Edge HP Sission Insertable Joint

\$315.60N	20.4	15941	6
625 10N	37.0	15942	8

A WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

N = Non-stock item; Contact customer service for availability.



Note: Dimensions and tolerances for Service pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP SERVICE HUB AND SPIGOT PIPE AND FITTINGS

COMPRESSION GASKETS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). ASTM A 74

ASTM C 564 CISPI HSN 85

Meets the performance requirements of EN 877 Listed by NSF® International to the UP Code ISO 9001:2015 Certified

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

CHARLOTTE® SPEED PAK

TEN FOOT PIPE BUNDLES

SERVICE						
	SIZE	PIECES	WEIGHT	HEIGHT		
Single Hub	6x10′	18	2211	23"		
	8x10′	8	1444	22"		
	10x10'	6	1558	27"		
	12x10′	6	2075	30"		
	15x10′	2	1050	23"		

30" SINGLE HUB PIPE BUNDLES

SERVICE					
SIZE PIECES WEIGHT HEIGHT					
30″	8x30"	11	645	24"	
Single	10x30"	8	733	24"	
Hub	12x30"	6	643	28"	
	15x30"	2	333	34"	

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/20/21

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.



PAGE FOR YOUR NOTES



P0 B0X 35430

CHARLOTTE

NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

