

# Thin Wall PVC DWV

List Price Schedule P-1116-TW  
Effective November 1, 2016  
(Updated March 1, 2017)  
Supersedes Price Schedule P-415-TW

Possession of this price list shall not be construed as an offer to sell the products listed.  
Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.  
© 1978-2017 Charlotte Pipe and Foundry Company



ASTM D 2949

















## >> PVC Thin Wall Schedule 30 Fittings

Size	UPC# 611942-	No. Per Carton	No. Per Pallet	List Price Each	Size	UPC# 611942-	No. Per Carton	No. Per Pallet	List Price Each
		<b>Part No. PVC 1100 Coupling (H x H)</b>					<b>Part No. PVC 1116 Cap (SOCKET)</b>		
3	03722	100	1600	<b>\$6.61</b>	3	13289	10	1440	<b>\$13.74</b>
		<b>Part No. PVC 1101 Female Adapter (FPT x H)</b>					<b>Part No. PVC 1117 Adapter Coupling (Adapts S&amp;D Hub to DWV Hub) (H x H)</b>		
3	03723	10	1120	<b>\$19.80</b>	4x3	03734	10	490	<b>\$28.28</b>
		<b>Part No. PVC 1102 Pipe Increaser-Reducer (H x H)</b>					<b>Part No. PVC 1129 Hub Adapter (Adapts 3" IPS Hub to 3" Thin Wall Pipe) (SPG x H)</b>		
1½x3	03725	25	2000	<b>\$15.08</b>	3x3	03736	25	2800	<b>\$22.59</b>
2x3	03726	20	2240	<b>15.08</b>			<b>Part No. PVC 1130 Repair Coupling (H x H)</b>		
3x4	03727	10	800	<b>25.58</b>	3	13346	20	980	<b>\$14.91</b>
		<b>Part No. PVC 1105X Fitting Cleanout Adapter with Cleanout Plug (SPG)</b>					<b>Part No. PVC 1300 1/4 Bend (H x H)</b>		
3x3	03728	25	1225	<b>\$20.18</b>	3	03738	10	490	<b>\$14.83</b>
		<b>Part No. PVC 1109 Male Adapter (MPT x H)</b>					<b>Part No. PVC 1302 1/4 Bend, Street (SPG x H)</b>		
3	03730	25	1225	<b>\$17.70</b>	3	03739	10	490	<b>\$18.87</b>
		<b>Part No. PVC 1112 Reducer Bushing (SPG x H)</b>							
3x1½	03731	30	3360	<b>\$10.86</b>					
3x2	03732	30	3360	<b>8.83</b>					
4x3	03733	20	1120	<b>19.81</b>					

H = Hub  
SPG = Spigot

MPT = Male Pipe Thread  
FPT = Female Pipe Thread

**You can't beat the system.®**

Size	UPC# 611942-	No. Per Carton	No. Per Pallet	List Price Each	Size	UPC# 611942-	No. Per Carton	No. Per Pallet	List Price Each
		<b>Part No. PVC 1319</b> <b>1/6 Bend</b> (H x H)					<b>Part No. PVC 1444X</b> <b>Cleanout Tee with Cleanout Plug</b> (H x H x FTP)		
3	13347	10	800	<b>\$34.66</b>	3	13348	10	490	<b>\$33.11</b>
		<b>Part No. PVC 1321</b> <b>1/8 Bend</b> (H x H)					<b>Part No. PVC 1600</b> <b>Wye</b> (ALL HUB)		
3	03742	10	800	<b>\$13.09</b>	3	03749	25	400	<b>\$23.71</b>
		<b>Part No. PVC 1323</b> <b>1/8 Bend, Street</b> (SPG x H)					<b>Part No. PVC 1601</b> <b>Wye, Reducing</b> (ALL HUB)		
3	03743	10	800	<b>\$13.84</b>	3x3x1½	03750	15	735	<b>\$22.59</b>
		<b>Part No. PVC 1324</b> <b>1/16 Bend</b> (H x H)			3x3x2	03751	25	450	<b>22.06</b>
3	13290	10	800	<b>\$14.44</b>			<b>Part No. PVC 1611</b> <b>Double Wye</b> (ALL HUB)		
		<b>Part No. PVC 1400</b> <b>Sanitary Tee</b> (ALL HUB)			3	03752	15	180	<b>\$63.06</b>
3	03744	30	360	<b>\$20.50</b>			<b>Part No. PVC 1800</b> <b>Closet Flange</b> (HUB)		
		<b>Part No. PVC 1401</b> <b>Sanitary Tee, Reducing</b> (ALL HUB)			4x3	03753	5	560	<b>\$24.30</b>
3x3x1½	03745	20	560	<b>\$17.71</b>			<b>Part No. PVC 1800K</b> <b>Closet Flange</b> (HUB)		
3x3x2	03746	10	490	<b>18.87</b>	4x3	03754	5	560	<b>\$25.30</b>
		<b>Part No. PVC 1418</b> <b>Sanitary Tee with Right &amp; Left</b> <b>Side Inlets</b> (ALL HUB)					<b>Part No. PVC 1811</b> <b>Closet Flange, Adjustable</b> (with Metal Ring) (HUB)		
3x3x3x1½x1½	13468	20	560	<b>\$54.20</b>	4x3	03755	5	560	<b>\$43.74</b>
3x3x3x2x2	13467	20	560	<b>56.71</b>			<b>Part No. PVC 1812</b> <b>Closet Flange, Adjustable</b> (with Metal Ring) (SPG)		
		<b>Part No. PVC 1429</b> <b>Double Sanitary Tee, Reducing</b> (ALL HUB)			4x3	03757	5	560	<b>\$52.88</b>
3x1½	03748	10	490	<b>\$55.76</b>					

# Thin Wall PVC DWV Pipe

List Price Schedule P-411-TWP  
Effective April 25, 2011  
(Updated March 1, 2017)  
Supersedes Price Schedule P-188-TWP

Possession of this price list shall not be construed as an offer to sell the products listed.  
Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.  
© 1978-2017 Charlotte Pipe and Foundry Company



## >> PVC Thin Wall Schedule 30 Pipe

PVC SCHEDULE 30 (WHITE)			PLAIN END			ASTM D 2949		
PART NO.	NOM. SIZE	UPC# 611942-	TRUCK LOAD PERCENT PER SKID	QUANTITY PER SKID	AVE. O.D. (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)	LIST PRICE PER 100 FT.
PVC 9300	3" x 10'	03963	4.166	1250'	3.25	.125	80.2	<b>\$196.00</b>

NOTE: For truckloads of mixed sizes, multiply skids desired by truckload percent per skid.

NSF Listed. Meets All Requirements of ASTM D 2949.

### TERMS OF SALE

We are pleased to present our list price schedule for use in ordering Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products. To determine current prices, please refer to the prices shown in the list price schedule. You may seek further clarification from our local manufacturers' agent or the factory sales office. **All prices in list price schedules are subject to change without notice. Orders will be billed at the prevailing price at the time of shipment.** All quotations, sales, and agreements are subject to strikes, accidents, transportation failures or other causes beyond our control. Any tax, effective under present or future laws, shall be added as an extra to the price of the product and shall be paid by the purchaser. **Possession of product information or list price schedules shall not be construed as an offer to sell the product listed.**

**ARBITRATION:** CHARLOTTE PIPE AND CUSTOMER AGREE THAT ANY DISPUTE, CLAIM OR CONTROVERSY OF ANY NATURE, WHETHER BASED ON CONTRACT, TORT, STATUTE, OR ANY OTHER LEGAL OR EQUITABLE THEORY, ARISING OUT OF OR RELATED TO THE SALE OF PRODUCTS FROM CHARLOTTE PIPE TO CUSTOMER SHALL BE RESOLVED THROUGH BINDING ARBITRATION ADMINISTERED PURSUANT TO TITLE 9 OF THE U.S. CODE BY JAMS UNDER ITS COMPREHENSIVE ARBITRATION RULES AND PROCEDURES, AND JUDGMENT ON THE AWARD ENTERED BY THE ARBITRATOR(S) MAY BE ENTERED BY ANY COURT HAVING JURISDICTION THEREOF. EITHER PARTY MAY APPLY TO THE ARBITRATOR SEEKING INJUNCTIVE RELIEF UNTIL THE ARBITRATION AWARD IS ENTERED OR THE MATTER IS RESOLVED. EITHER PARTY ALSO MAY, WITHOUT WAIVING ANY REMEDY AVAILABLE TO IT, SEEK FROM ANY COURT OF COMPETENT JURISDICTION ANY PROVISIONAL OR INTERIM RELIEF THAT IS NECESSARY TO PROTECT ITS RIGHTS PENDING THE ARBITRATOR(S)' DETERMINATION OF THE MERITS OF THE DISPUTE, CLAIM OR CONTROVERSY.

**CLASS ACTION WAIVER:** CHARLOTTE PIPE AND CUSTOMER AGREE THAT THERE WILL BE NO RIGHT OR AUTHORITY FOR ANY CLAIM, DISPUTE AND/OR CONTROVERSY COVERED UNDER THE PARTIES' AGREEMENT TO ARBITRATE TO BE BROUGHT, HEARD, OR ARBITRATED AS A CLASS ACTION AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. NOR SHALL THE ARBITRATOR(S) HAVE ANY AUTHORITY TO HEAR OR ARBITRATE ANY SUCH CLASS AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. REGARDLESS OF ANYTHING ELSE IN THESE TERMS AND CONDITIONS OR BY VIRTUE OF ANY ARBITRATION RULES OR PROCEDURES OF THE AAA THAT NOW APPLY OR ANY AMENDMENTS AND/OR MODIFICATIONS TO THOSE RULES, THE ENFORCEABILITY AND VALIDITY OF THIS CLASS ACTION WAIVER MAY BE DETERMINED ONLY BY A COURT AND NOT BY AN ARBITRATOR. NOTWITHSTANDING ANY OTHER CLAUSE CONTAINED IN THESE TERMS AND CONDITIONS, THIS CLAUSE ENTITLED CLASS ACTION WAIVER SHALL NOT BE SEVERABLE FROM THESE TERMS AND CONDITIONS IN ANY CASE IN WHICH THE DISPUTE TO BE ARBITRATED IS BROUGHT AS A CLASS AND/OR COLLECTIVE ACTION. THIS CLASS ACTION WAIVER AND THE AGREEMENT TO ARBITRATE ANY CLAIM, DISPUTE OR CONTROVERSY PRECLUDES CUSTOMER FROM LITIGATING IN COURT OR ARBITRATING ANY CLAIMS AGAINST CHARLOTTE PIPE AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY.

## LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the

**All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.**

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

PO BOX 35430 CHARLOTTE, NORTH CAROLINA 28235  
SALES PHONE (704) 348 6450 (800) 572 4199  
TECHNICAL PHONE (800) 438 6091 FAX (800) 553 1605  
WWW.CHARLOTTEPIPE.COM

control of Charlotte Pipe.

- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company  
Attention: Technical Services  
2109 Randolph Road  
Charlotte, North Carolina 28207

**Purchaser must obtain a return materials authorization** and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.


Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/24/15

# WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC / Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.

**AIR/GAS**



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC / Cast Iron pipe or fittings.
- NEVER test PVC / ABS / CPVC / Cast Iron pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC / Cast Iron pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.



**You can't beat the system.®**